## **UNCLASSIFIED**

## AD NUMBER AD421859 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; SEP 1963. Other requests shall be referred to Aeronautical Systems Div., Wright-Patterson AFB, OH 45433. AUTHORITY ASD per DTIC form 55

# PRESSURE AND HEAT TRANSFER MEASUREMENTS FOR HYPERSONIC FLOWS OVER EXPANSION CORNERS AND AHEAD OF RAMPS

PART II: MACH 5 PRESSURE DATA FOR FLOWS AHEAD OF RAMPS
Part of an Investigation of Hypersonic Flow
Separation and Control Characteristics

TECHNICAL DOCUMENTARY REPORT No. ASD-TDR-63-679 PART II

U. S. Naval Postgraduate School
Monterey, California
SEPTEMBER 1963

AF FLIGHT DYNAMICS LABORATORY
RESEARCH AND TECHNOLOGY DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

Project No. 8219, Task No. 821902

(Prepared under Contract No. AF 33(616)-8130 by the Research Department, Grumman Aircraft Engineering Corporation Bethpage, New York Author: Louis G. Kaufman II)

## NOTICES

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

DDC release to OTS not authorized.

Qualified requesters may obtain copies of this report from the Defense Documentation Center (DDC), (formerly ASTIA), Cameron Station, Bldg. 5, 5010 Duke Street, Alexandria 4, Virginia

Copies of this report should not be returned to the Aeronautical Systems Division unless return is required by security considerations, contractual obligations, or notice on a specific document.

#### FOREWORD

This entire report, written in four parts under separate covers, presents the results of a portion of the experimental program for the investigation of hypersonic flow separation and control characteristics being conducted by the Research Department of Grumman Aircraft Engineering Corporation, Bethpage, New York. Mr. Donald E. Hoak of the Flight Control Laboratory, Aeronautical Systems Division, located at Wright-Patterson Air Force Base, Ohio, is the Air Force Project Engineer for the program, which is being supported primarily under Contract AF33(616)-8130, Air Force Task 821902.

The author wishes to express his appreciation to the staff of the von Karman Facility for their helpfulness in conducting the tests; their gracious assistance in preparing these reports; and particularly to Messrs. Schueler, Baer and Burchfield for providing the machine plotted graphs of the experimental data included in this report. Ozalid reproducible copies of the tabulated data are available on loan from the Flight Control Laboratory.

The parts which constitute a complete report for this segment of the over all program are:

Part I: Mach 5 and 8 Data for Expansion Corner Flows

Part II: Mach 5 Pressure Data for Flows Ahead of Ramps

Part III: Mach 8 Pressure Data for Flows Ahead of Ramps

Part IV: Mach 8 Heat Transfer Data for Flows Ahead of Ramps

## **ABSTRACT**

Pressure and heat transfer data were obtained for hypersonic flows over 40-degree expansion corners and ahead of ramps. Full and partial span ramps, having wedge angles up to 90 degrees, were tested at two locations on a sharp leading edge flat plate, with and without end plates. Pressure data were obtained for M = 5 for model length Reynolds numbers between 1.1 and 6.6 million. Both pressure and heat transfer data were obtained for M = 8 for Reynolds numbers between 1.1 and 3.3 million.

## PUBLICATION REVIEW

This report has been reviewed and is approved.

FOR THE COMMANDER:

Charles B. Westbrook

Chief, Aerospace Mechanics Branch

Flight Control Laboratory

ASD-TDR-63-679 Part II

## TABLE OF CONTENTS

Item																	Page
Introduction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
Model	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	1
Test Conditions	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	2
Data Reduction and Accuracy																	
Results	•	•	•	•	•	•	•	•	•	•		,	•	•	•	•	3
References					•	•	•		•	•	•	•	•	•			4

## LIST OF ILLUSTRATIONS

<u>Figure</u>		Page
1	General Outline of Models and Remarks for Over-all Program	9
2	Photograph of Upper Surface of Model, with End Plates, Installed in the AEDC 40-inch Supersonic Tunnel	10
3	Instrumentation on Upper Surface of Model	11
4-13	Schlieren Flow Photographs*	12
14-116	Pressure Coefficient Data Plots*	22

ASD-TDR-63-679 Part II

<sup>\*</sup>See Table II, page 6, for figure numbers corresponding to particular test conditions.

## LIST OF SYMBOLS

C <sub>p</sub>	pressure coefficient, $C_p = (p - p_{\infty})/q_{\infty}$
${f M}_{\infty}$	free stream Mach number
p	pressure (psia)
P <sub>o</sub>	stagnation pressure (psia)
$p_{\infty}$	free stream static pressure (psia)
${f q}_{\infty}$	free stream dynamic pressure (psia)
${ m Re}_{_{\infty}}/{ m ft}$	Reynolds number per foot, $\mathrm{Re}_{\infty}/\mathrm{ft} \equiv \rho_{\infty} \mathrm{U}_{\infty}/\mu_{\infty}$
To	stagnation temperature (°R)
$\mathtt{T}_{_{\infty}}$	free stream static temperature (°R)
$\mathtt{U}_{\infty}$	free stream velocity (ft/sec)
X ¹	nondimensional streamwise distance downstream of the leading edge, measured on the surface
Y	nondimensional spanwise distance measured outboard from the model centerline
α	angle of attack of model (degrees)
$\mu_{\infty}$	viscosity of air in the free stream (slugs/ft sec)
$ ho_{\infty}$	density of air in the free stream (slugs/ft <sup>3</sup> )

## INTRODUCTION

The experimental data generated for an investigation of hypersonic flow separation and aerodynamic control characteristics are to be presented in a series of reports, of which this is one. Pressure, heat transfer, and force data are to be obtained for hypersonic flows over "basic geometries," such as a wedge mounted on a flat plate, and for "typical" hypersonic flight configurations with aerodynamic control surfaces. The experimental portion of the program requires a total of 11 models (see Fig. 1, page 9); 8 for tests in the von Karman Facility of the Arnold Engineering Development Center and 3 for tests in the Grumman Hypersonic Shock Tunnel (Refs. 1 and 2). The data obtained from AEDC tests of one of the models are given in this four-volume report (see Foreword).

This report (Part II) presents data obtained at  $M_{\infty}=5$  in the AEDC 40-inch Supersonic Tunnel on a flat plate model having three, remotely controlled, flaps. The same model was tested in the AEDC 50-inch Mach 8 Tunnel to obtain pressure and aerodynamic heating rate distributions. The instrumented lower surface of the model was used to obtain data for the investigation of hypersonic flows over expansion corners. Geometrically similar models, one with internal cooling and the other with limited pressure and heat transfer instrumentation, are to be tested in the AEDC 50-inch Mach 8 Tunnel and in the Grumman Hypersonic Shock Tunnel (see Fig. 1).

#### MODEL

The model has a nominally sharp leading edge (35° included angle) and has a 12-inch square planform. A photograph of the model, with end plates attached, is shown in Fig. 2. The removable end plates were slightly toed in to account for the boundary layer growth along the inner walls of the end plates. There are three remotely controlled flaps on the model (Figs. 2 and 3). The forward flap has a 1-inch chord, is deflectable through 90 degrees, and has its hinge line located three inches downstream of the sharp leading edge of the model. The aft flap has a 3-inch chord, is deflectable through 45 degrees, and has its hinge line 9 inches downstream of the leading edge. The center portion of the aft flap, having a span of 4 inches, can be deflected separately.

Manuscript released by the author May 1963 for publication as an ASD Technical Documentary Report.

ASD-TDR-63-679 Part II The chord to hinge-line station ratio of the forward and aft flaps are the same, providing data on Reynolds number and leading edge effects. When deflected 90 degrees, the forward flap serves as a forward facing step. Another function of this flap is to create separated flows which reattach on the flat plate downstream of it. The aft flap serves to form forward facing ramps of various angles up to 45 degrees. Span and tip effects are obtained by using the center portion of the aft flap and the end plates.

Pressure tap locations, as well as the locations of the thermocouples used for Part IV of this series, are shown in Fig. 3.

## TEST CONDITIONS

The pressure data presented herein were obtained from Mach 5 tests in the AEDC 40-inch Supersonic Tunnel (Ref. 3). The model was pitched from 30 degrees nose down to 15 degrees nose up for various flap settings and for free stream Reynolds numbers per foot of 1.1, 3.3 and 6.6 million. The tunnel conditions corresponding to the different Reynolds numbers are shown in Table I; the model configurations, flap settings, and test conditions are shown in Table II.

## DATA REDUCTION AND ACCURACY

All pressure data were reduced to standard pressure coefficient form:

$$C_{p} = \frac{p - p_{\infty}}{q_{\infty}},$$

where p is the measured pressure,  $p_{\infty}$  is the free stream static pressure, and  $q_{\infty}$  is the free stream dynamic pressure. The inaccuracy in the measured pressure varies from  $\pm 0.005$  psia for pressures below 1.00 psia, to  $\pm 0.075$  psia for pressures greater than 15 psia. Depending upon the values of  $C_p$  and  $Re_{\infty}/ft$ , the pressure coefficient accuracy varies from about  $\pm 0.009$  to  $\pm 0.020$ . Variations in the tunnel conditions affect the accuracy of the tabulated pressure coefficient data to a negligible extent; the tunnel conditions shown in Table I were kept constant to well within one per cent of the values shown.

The automatic plotting machines, used in presenting the data herein, introduce another source of possible error. The discrepancy in the plotted pressure coefficients due to this machine error should not exceed ±0.01. Nevertheless, there is always the rare possibility that a point will be completely misplotted. Each graph has been inspected and questionable points checked with the tabulated pressure coefficients.

Finally, the remotely controlled flap settings were estimated to be accurate to well within half a degree.

#### RESULTS

Table II summarizes the Mach 5 data obtained on the upper portion of the model and indicates the corresponding figure numbers where the sets of data are presented. The AEDC group number is presented in the last column. This number indicates the order in which the data were obtained and is to be used when referring to the tabulated data.

High speed, schlieren motion pictures (7,000 frames per second), were obtained for the thirty conditions indicated in Table II. Observation of these films indicated that the flow, including the separation and reattachment locations, was steady in every instance. In addition to the high speed motion pictures, still schlieren flow photographs were obtained for six test conditions with the end plates on the model.

Streamwise and spanwise plots of the pressure coefficients are presented in Figs. 14 through 116. The first page of each figure presents streamwise plots of the pressure coefficients at two semispan stations, one essentially along the centerline, at Y' = 0.03, and the other outboard, at Y' = 0.34. Six spanwise plots of the data are presented on the second page of each figure: one upstream of the forward flap, at X' = 0.18, one on the forward flap, at X' = 0.29, two upstream of the aft flaps, at X' = 0.59 and 0.68, and two on the aft flaps, at X' = 0.83 and 0.92.

Although the accuracy of the plotted data should suffice for engineering purposes, ozalid reproducible copies of the tabulated data are available on loan (see Foreword). The plotted data may be read accurately using standard 20/inch grid, tracing graph paper overlays.

## REFERENCES

- Kaufman, L.G. II, Oman, R.A., Hartofilis, S.A., Meckler, L.H., Evans, W.J., and Weiss, D., <u>A Review of Hypersonic Flow Separation and Control Characteristics</u>, ASD-TDR-62-168, March 1962.
- 2. Evans, W.J., and Kaufman, L.G. II, <u>Pretest Report on Hypersonic Flow Separation and Control Models for AEDC Tunnels A, B, Hotshot 2 and Grumman Hypersonic Shock Tunnel</u>, Grumman Research Department Memorandum RM-209, July 1962.
- 3. Arnold Center, <u>Test Facilities Handbook</u>, Arnold Air Force Station, January 1961.
- 4. Kaufman, L.G. II and Meckler, L.H., <u>Pressure and Heat Transfer Measurements at Mach 5 and 8 for a Fin-Flat Plate Model</u>, ASD-TDR-63-235, April 1963.
- 5. Hartofilis, S.A., <u>Pressure Measurements at Mach 19 for a Winged Re-entry Configuration</u>, ASD-TDR-63-319, May 1963.
- 6. Meckler, L.H., Static Aerodynamic Characteristics at Mach 5 and 8 for an Aerodynamically Controllable Winged Re-entry Configuration, to be published as an ASD Technical Documentary Report.
- 7. Kaufman, L.G. II, <u>Pressure and Heat Transfer Measurements for Hypersonic Flows Over a Blunt Pyramidal Configuration with Aerodynamic Controls</u>, to be published as an ASD Technical Documentary Report.

TABLE I
TUNNEL CONDITIONS

${ m Re}_{_{\infty}}/10^6$ ft	1.1	3.3	6.6
M <sub>∞</sub>	4.99	5.01	5.03
p <sub>∞</sub> (psia)	0.040	0.134	0.272
$q_{_{\infty}}(psia)$	0.70	2.35	4.82
p <sub>o</sub> (psia)	21	72	150
T <sub>O</sub> (°R)	570	620	635

TABLE II
TEST CONDITIONS

		Setting		Re <sub>∞</sub>		Fig. No	s.	AEDC GROUP
End Plates	For- ward	Aft Center	Aft Full Span	$10^6$ ft	α (deg)	Photo	C <sub>p</sub>	NO.
OFF				1.1 3.3 6.6	-30		14 15 16	4 15 31
	30		10	3.3 3.3 1.1			17 18	14 23
OFF			30 30 30	1.1 3.3 6.6	-30		19 20 21	8 9 32
OFF				1.1 3.3 6.6	-15		22 23 24	3 16 30
	15 15		10	3.3 3.3 6.6			25 26 27	13 19 26 22
	30	30 30		3.3 3.3 6.6			28 29 30 31	24 24 27 7
OFF			30 30 30	1.1 3.3 6.6	<b>-</b> 15		32 33	10 33
OFF				1.1 3.3 6.6	- 5	4a b	34 35 36	2 17 29
	15 15		10	1.1 3.3 6.6		С	37 38 39	5 18 25
	20 30 30			3.3 1.1 3.3			40 41 42	20 1 21
			30 30 30	1.1 3.3 6.6			43 44 45 46	6 11 28 34*
OFF			30 45	6.6	- 5		47	12

<sup>\*</sup>Repeat run.


<sup>†</sup>Schlieren flow photographs. Still photographs for configurations with end plates; frames from high speed motion pictures for configurations without end plates.

Plates   ward   Center   Span   106   ft   (deg)   Photo   Cp   No.		Flap	Setting	s (deg)	$\mathrm{Re}_{_{\infty}}$		Fig. N	· • • • • • • • • • • • • • • • • • • •	AEDC
OFF ON OFF ON OFF ON OFF ON ON OFF ON ON OFF ON ON OFF 10 OFF 10 ON OFF 10 ON ON OFF 10 ON ON ON ON ON OFF 10 ON ON ON OFF 10 ON ON ON OFF 10 ON ON ON OFF 10 ON ON ON ON ON OFF 10 ON ON ON OFF 10 ON ON OFF 10 ON ON OFF 10 00 11 11 00 11 10 00 11 10 00 11 10 00 11 10 00 10 1		For-	Aft	Aft Full		α	rig. N	os.	
ON OFF ON ON OFF ON ON OFF OFF ON ON OFF OFF	Plates	ward	Center	Span	10 <sup>6</sup> ft	(deg)	Photo	p	
ON OFF ON ON OFF ON ON OFF OFF ON ON OFF OFF	OFF				1.1	0	5a	48	72
OFF         3.3         c         50         35           ON         6.6         e         52         60           ON         10         6.6         e         52         60           ON         10         1.1         54         108         60         55         38           OFF         10         1.1         57         73         78         63         39         74	1							1	
ON OFF									
OFF         ON         6.6         e         52         60           ON         10         1.1         54         108         89           OFF         10         1.1         54         108         54         108         66         55         38         60         67         57         77         60         60         90 <t< td=""><td>1</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td></t<>	1							1	
ON									
ON 10 OFF 10 3.3	1								
OFF         10         3.3         6.6         b 56         53           OFF         10         1.1         57         77           ON         10         1.1         58         104           OFF         10         3.3         c 59         46           ON         10         3.3         60         97           OFF         10         6.6         d 61         69         97           OFF         15         3.3         7a         63         39           OFF         15         6.6         b 64         54         54           OFF         20         3.3         7a         63         39           OFF         20         3.3         8a         65         40           OFF         20         3.3         c 69         47           ON         20         1.1         67         76         60         66         55           OFF         20         3.3         c 69         47         68         70         96           OFF         20         3.3         c 66         72         91         70         96           OFF	ON	10							
OFF         10         6.6         b         56         53           OFF         10         1.1         57         77           ON         10         3.3         c         59         46           ON         10         3.3         60         97           OFF         10         6.6         d         61         69         97           OFF         15         6.6         d         62         90           OFF         1.5         6.6         b         66         290           OFF         20         3.3         7a         63         39           DFF         20         3.3         66         54         56         62         90         90         56         66         53         39         56         56         56         56         56         56 <t< td=""><td>OFF</td><td>10</td><td></td><td></td><td></td><td></td><td>6a</td><td></td><td></td></t<>	OFF	10					6a		
OFF         10         1.1         57         77           ON         10         1.1         58         104           OFF         10         3.3         c         59         46           ON         10         3.3         c         59         46           OFF         10         6.6         d         61         69         97           OFF         15         3.3         7a         63         39         66         97         62         90           OFF         15         3.3         3.3         8a         65         40         66         62         90           OFF         20         6.6         6         6         62         90         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         66         55         40         60         72         91         70         76         76         79         76 <td< td=""><td>OFF</td><td>10</td><td></td><td></td><td></td><td></td><td></td><td>1</td><td></td></td<>	OFF	10						1	
ON         10         1.1         10         3.3         c         59         46           ON         10         3.3         60         97           OFF         10         6.6         d         61         69           ON         10         6.6         d         61         69           OFF         15         3.3         7a         63         39           OFF         20         6.6         b         64         54           OFF         20         1.1         68         65         40           OFF         20         1.1         67         76           ON         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         3.3         c         69         47           ON         20         3.3         c         69         47           ON         20         6.6         d         71         68           OFF         30         1.1         73         78           OFF         30         3.3         9a         74	OFF			10					
OFF         10         3.3         c         59         46           ON         10         3.3         60         97           OFF         10         6.6         d         61         69           OFF         15         3.3         7a         63         39           OFF         20         3.3         8a         65         40           OFF         20         3.3         8a         65         40           OFF         20         3.3         c         66         55           OFF         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         3.3         c         69         47           ON         20         3.3         c         69         47           OFF         20         6.6         d         70         96           OFF         30         3.3         c         69         47         68           OFF         30         3.3         g         74         41         74         41         41         41         41 <td< td=""><td>ON</td><td></td><td></td><td>10</td><td></td><td></td><td></td><td></td><td></td></td<>	ON			10					
ON OFF ON ON OFF ON OFF         10 10 10 6.6 6.6 10 6.6 6.6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	OFF			10	3.3		С		
OFF ON         10         6.6 10         d         61         69 62         90           OFF         1.5         3.3         7a         63         39 b         64         54           OFF         20         3.3         8a         65         40         66         55           OFF         20         1.1         68         105         66         55           OFF         20         3.3         c         69         47         68         105           OFF         20         3.3         c         69         47         68         105         66         70         70         96         47         68         105         70         96         47         68         105         70         96         47         68         105         70         96         47         68         105         70         96         47         68         105         70         96         47         90         66         66         71         68         105         72         91         70         96         72         91         70         96         74         41         41         41         70 <t< td=""><td>ON</td><td></td><td></td><td></td><td>3.3</td><td></td><td></td><td></td><td></td></t<>	ON				3.3				
ON         10         6.6         62         90           OFF         15         3.3         7a         63         39           OFF         20         3.3         b         64         54           OFF         20         1.1         66         55           OFF         20         1.1         67         76           ON         20         3.3         c         69         47           ON         20         3.3         c         69         47           ON         20         3.3         c         69         47           ON         20         6.6         d         71         68           ON         20         6.6         d         71         68           ON         20         6.6         d         71         68           ON         30         3.3         9a         74         41           OFF         30         3.3         9a         74         41           OFF         30         3.3         9a         74         41           OFF         30         1.1         76         79           OFF	OFF			10	6.6		d		
OFF         15         3.3         6.6         b 64         54           OFF         20         3.3         b 6.6         b 64         54           OFF         20         6.6         b 66         55           OFF         20         1.1         68         105           OFF         20         3.3         c 69         47           ON         20         3.3         c 69         47           ON         20         6.6         d 71         68         105           OFF         20         6.6         d 71         68         105         66         47         68         105         66         47         68         105         66         47         68         105         66         47         68         105         66         47         68         105         66         47         68         105         66         66         66         66         47         68         105         66         66         66         66         66         66         66         66         66         66         66         66         66         66         66         66         66         66	ON			10				1	
OFF         15         6.6         b         64         54           OFF         20         3.3         6.6         b         65         40           OFF         20         1.1         68         65         40           OFF         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         6.6         d         71         68           ON         20         6.6         d         72         91           OFF         30         3.3         9a         74         41           OFF         30         3.3         9a         74         41           OFF         30         3.3         9a         74         41           OFF         30         6.6         b         75         56           OFF         30         1.1         76         79           OFF         30         1.1         80         106           OFF         30         3.3         e         81         48           ON         30         3.3         e         81	OFF	15			3.3		7a		
OFF         20         3.3         6.6         b         65         40           OFF         20         1.1         66         55           OFF         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         3.3         c         69         47           OFF         20         6.6         d         71         68           ON         20         6.6         d         71         68         105           OFF         30         1.1         70         96         47         68         105         69         47         46         69         47         46         69         47         46         69         47         46         69         47         46         69         47         46         68         105         66         66         66         66         67         73         78         78         78         78         75         56         66         66         67         74         45         66         66         66         67         74         45         66	OFF	15							
OFF         20         6.6         55           OFF         20         1.1         67         76           ON         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         3.3         70         96           OFF         20         6.6         d         71         68           ON         20         6.6         d         72         91           OFF         30         3.3         9a         74         41           OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           ON         30         3.3         e         81         48           ON         30         3.3         e         81         48           OFF         30         <	OFF	20			3.3				
OFF         20         1.1         67         76           ON         20         1.1         68         105           OFF         20         3.3         c         69         47           ON         20         3.3         70         96           OFF         20         6.6         72         91           OFF         30         3.3         9a         74         41           OFF         30         3.3         5a         5a         77         78         75         56           OFF         30         3.3         5a         5a         77         45         77         45         66         6a         77         79         75         75         79         75         79         75         77         79         75         77         79         75	OFF	<b>2</b> 0			6.6				
ON         20         1.1         68         105           OFF         20         3.3         70         96           OFF         20         6.6         d         71         68           OFF         30         1.1         73         78           OFF         30         3.3         9a         74         41           OFF         30         3.3         9a         74         41           OFF         30         1.1         76         79           OFF         30         3.3         c         77         45           OFF         30         1.1         76         79           OFF         30         1.1         79         75           ON         30         1.1         80         106           OFF         30         3.3         e         81         48           ON         30         3.3         e         81         48           ON         30         3.3         e         81         48           ON         30         6.6         f         83         65           ON         30         6.6	OFF			20	1.1				
OFF ON ON OFF ON OFF         20 3.3 70 96           OFF ON OFF         20 6.6 70 96           ON OFF 30 OFF 30 OFF 30 OFF         30 3.3 9a 74 41           OFF 30 OFF A5 1.1 O	ON			20					
ON         20         3.3         70         96           OFF         20         6.6         72         91           OFF         30         3.3         9a         74         41           OFF         30         6.6         b         75         56           OFF         30         3.3         c         77         45           OFF         30         3.3         c         77         45           OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           OFF         30         1.1         79         75           ON         30         3.3         e         81         48           OFF         30         6.6         f         83         65           ON         30         6.6         f         83         65           OFF<	OFF	•					С		
OFF ON         20         6.6 6.6         d         71         68 72         91           OFF         30         1.1         73         78           OFF         30         6.6         5         75         56           OFF         30         1.1         76         79           OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           OFF         30         1.1         79         75           ON         30         1.1         79         75           ON         30         3.3         82         95           OFF         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         45         1.1         10a         86         80*           OFF         45         3.3         c </td <td>ON</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>_</td> <td>l .</td> <td></td>	ON						_	l .	
ON         20         6.6         72         91           OFF         30         1.1         73         78           OFF         30         6.6         b         75         56           OFF         30         1.1         76         79           OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           ON         30         1.1         80         106           OFF         30         3.3         e         81         48           ON         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         45         1.1         10a         86         80*           OFF         45	OFF						d		
OFF         30         1.1         3.3         9a         74         41         41         56         6.6         6.6         6.6         6.6         6.6         6.6         6.6         6.6         6.6         75         56         76         79         79         75         56         76         79         75         66         6.6         6.6         6.6         6.6         6.6         6.6         6.6         6.6         6.6         6.6         77         45         6.6         6.6         6.6         6.6         6.6         77         45         6.6         6.6         77         45         6.6         77         45         6.6         6.6         77         45         6.6         77         45         6.6         77         45         6.6         77         45         6.6         77         45         6.6         77         45         77         78         73         78 <td>ON</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	ON								
OFF         30         3.3         9a         74         41           OFF         30         1.1         56         75         56           OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           ON         30         1.1         79         75           ON         30         3.3         e         81         48           ON         30         3.3         e         81         48           ON         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         45         1.1         10a         86         80*           OFF         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         c         88         70           OFF         45         6.6         d         90         66	OFF	30				}			
OFF         30         6.6           OFF         30         1.1           OFF         30         3.3           OFF         30         6.6           OFF         30         1.1           OFF         30         1.1           ON         30         3.3           OFF         30         3.3           OFF         30         3.3           OFF         30         6.6           ON         30         3.3           OFF         30         6.6           ON         30         6.6           ON         30         6.6           ON         45         1.1           OFF         45         1.1           OFF         45         1.1           OFF         45         1.1           OFF         45         3.3           ON         45         3.3           OFF         45         3.3           OFF         45         3.3           OFF         45         3.3           ON         45         6.6           ON         45         6.6           ON <td>OFF</td> <td>30</td> <td></td> <td></td> <td></td> <td></td> <td>9a</td> <td></td> <td></td>	OFF	30					9a		
OFF         30         1.1         76         79           OFF         30         6.6         d 78         52           OFF         30         1.1         79         75           ON         30         1.1         80         106           OFF         30         3.3         e 81         48           ON         30         3.3         e 82         95           OFF         30         6.6         f 83         65           ON         30         6.6         f 83         65           ON         45         1.1         10a         86         80*           OFF         45         1.1         10a         86         80*           ON         45         3.3         c 88         70           OFF         45         3.3         c 88         70           OFF         45         6.6         d 90         66           ON         45         6.6         e 91         93           ON         90         1.1         11a         92         109	OFF	30			6.6			1	
OFF OFF         30         3.3         c         77         45           OFF         30         1.1         79         75           ON         30         1.1         80         106           OFF         30         3.3         e         81         48           ON         30         3.3         e         81         48           ON         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         45         1.1         10a         86         80*           ON         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         c         88         70           OFF         45         6.6         d         90         66           ON         90         1.1         11a         92         109	OFF		30						
OFF         30         6.6           OFF         30         1.1           ON         30         1.1           OFF         30         3.3           ON         30         3.3           OFF         30         6.6           ON         30         6.6           ON         30         6.6           ON         30         6.6           ON         45         1.1           OFF         45         1.1           ON         45         1.1           ON         45         3.3           ON         45         3.3           ON         45         6.6           ON         45         6.6           ON         90         1.1	OFF		30		3.3		С	1	
OFF         30         1.1         79         75           ON         30         1.1         80         106           OFF         30         3.3         82         95           OFF         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         30         6.6         f         83         65           ON         45         1.1         10a         86         80*           ON         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         e         99         94           OFF         45         6.6         d         90         66           ON         90         1.1         11a         92         109	OFF		30		6.6				
ON         30         1.1         80         106           OFF         30         3.3         82         95           OFF         30         6.6         f         83         65           ON         30         6.6         84         92           OFF         45         1.1         10a         86         80*           ON         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         c         89         94           OFF         45         6.6         d         90         66           ON         90         1.1         11a         92         109	OFF			30	1.1			79	75
OFF         30         3.3         e         81         48           ON         30         3.3         82         95           OFF         30         6.6         f         83         65           ON         30         6.6         84         92           OFF         45         1.1         10a         86         80*           ON         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         89         94           OFF         45         6.6         d         90         66           ON         90         1.1         11a         92         109	1								
ON OFF         30         3.3         6.6         f         82         95           ON OFF         30         6.6         84         92           OFF OFF         45         1.1         10a         86         80*           ON OFF         45         1.1         b         87         107           OFF ON OFF         45         3.3         c         88         70           ON OFF ON					3.3		e		
OFF ON         30         6.6         6         84         92           OFF OFF OFF ON         45         1.1         85         51           OFF ON OFF ON OFF ON OFF ON ON OFF ON ON OFF ON									
ON         30         6.6           OFF         45         1.1           OFF         45         1.1           ON         45         1.1           OFF         45         3.3           ON         45         3.3           OFF         45         3.3           OFF         45         6.6           ON         45         6.6           ON         90         1.1           ON         90         1.1	1						f	83	
OFF         45         1.1         10a         86         80*           ON         45         1.1         b         87         107           OFF         45         3.3         c         88         70           ON         45         3.3         89         94           OFF         45         6.6         d         90         66           ON         90         1.1         11a         92         109					6.6			84	
ON OFF         45         1.1         b         87         107           OFF ON OFF         45         3.3         c         88         70           OFF ON ON 90         45         6.6         d         90         66           ON 90         1.1         11a         92         109				1 (				85	51
OFF     45     3.3     c     88     70       ON     45     3.3     89     94       OFF     45     6.6     d     90     66       ON     90     1.1     11a     92     109	(				1.1		10a	86	80*
OFF     45     3.3     c     88     70       ON     45     3.3     89     94       OFF     45     6.6     d     90     66       ON     90     1.1     11a     92     109	1			1			Ъ		107
OFF     45     6.6       ON     45     6.6       ON     90       ON     90       1.1     11a     92       109				1 1	3.3		С	88	
ON     45     6.6     e     91     93       ON     90     1.1     11a     92     109	1			1 4					94
ON 90 1.1 11a 92 109	,				6.6		d	90	66
000	·			45			e	91	93
	1 :						11a		109
	OFF	90			3.3	1	Ъ	93	44
OFF 90 6.6 0 c 94 59	OFF	90			6.6	0	С	94	59


<sup>\*</sup>Repeat run with model rolled 180  $^{\circ}$ .

		p Settin	The second secon	Re∞		Fig. N	los.	AEDC
End Plates	For- ward	Aft Center	Aft Full Span	10 <sup>6</sup> ft	α (deg)	Photo †	c <sub>p</sub>	GROUP NO.
OFF	and the state of t			1.1	+ 5	12a	95	73
OFF			of the second	3.3		b	96	36
				6.6		_	97	61
	15			3.3			98	86
	30			1.1			99	83
	30			3.3			100	42
	30			6.6			101	57
			30	1.1			102	74
Y			30	3.3	1		103	49
OFF			30	6.6	+ 5		104	64
OFF			The second secon	1.1	+15		105	81
				3.3	1		106	37
				6.6			107	62
	15			3.3	1	13	108	85
	30			1.1			109	82
	30			3.3			110	43
	30			6.6			111	58
			30	1.1			112	84
			30	3.3			113	50
4 77 12			30	6.6			114	63
Ý			45	3.3	Y		115	71
OFF			45	6.6	+15		116	67


<sup>†</sup>Schlieren flow photographs. Still photographs for configurations with end plates; frames from high speed motion pictures for configurations without end plates.




- Separated Flows ahead of a Ramp Fore and aft flaps, end plates 3 separate models:
- Pressure and heat transfer, AEDC Tunnels
   A & B, M = 5 & 8, Results herein.
- 2) Controlled wall temperature, pressure, AEDC Tunnel B, M = 8, Results not yet available.
- 3) Pressure and heat transfer, Grumman Shock Tunnel, M  $\approx$  13 & 19, Results not yet available.



- Wedge Plate Interaction Small and Large fins with sharp and blunt leading edges 2 separate models:
- 1) Pressure and heat transfer, AEDC Tunnels
  A & B, M = 5 & 8, Results in Ref. 4.
- 2) Pressure and heat transfer, Grumman Shock Tunnel, M  $\approx$  13 & 19, Results not available yet.




- Clipped Delta, Blunt L.E.
   Center body, T.E. flaps, drooped nose,
   spoiler, tip fins
   3 separate models:
- 1) Pressure and heat transfer, AEDC Tunnels A & B, M  $\approx$  5 & 8, Results not available yet.
- 2) Pressure, AEDC Hotshot 2, M  $\approx$  19, Results in Ref. 5.
- 3) Six component force, AEDC Tunnels A & B, M  $\approx$  5 & 8, Results in Ref. 6.




- Delta, Blunt L.E., Dihedral
   T.E. flaps, canard, ventral fin
   3 separate models:
- Pressure and heat transfer, AEDC Tunnels A & B, M = 5 & 8, Results in Ref. 7.
- 2) Pressure and heat transfer, Grumman Shock Tunnel, M  $\approx$  19, Results not available yet.
- 3) Six component force, AEDC Tunnels A & B, M = 5 & 8, Results not available yet.

Fig. 1 General Outline of Models and Remarks for Over-all Program



Photograph of Upper Surface of Model, with End Plates, Installed in the AEDC 40-inch Supersonic Tunnel Fig. 2






Fig. 3 Instrumentation on Upper Surface of Model





b)



c)

Fig. 4

- Schlieren Flow Photographs,  $\alpha = -5^{\circ}$ a) Re $_{\infty}/10^{6}$ ft = 1.1 b) Re $_{\infty}/10^{6}$ ft = 3.3 c) Re $_{\infty}/10^{6}$ ft = 6.6, Forward Flap at 15°




Fig. 5 Schlieren Flow Photographs,  $\alpha = 0$ a) & b) Re $_{\infty}/10^{6}$ ft = 1.1 c) & d) Re $_{\infty}/10^{6}$ ft = 3.3 e) & f) Re $_{\infty}/10^{6}$ ft = 6.6





Fig. 6 Schlieren Flow Photographs,  $\alpha = 0$ a)  $\text{Re}_{\infty}/10^6 \text{ft} = 3.3$ , Forward Flap at  $10^\circ$ b)  $\text{Re}_{\infty}/10^6 \text{ft} = 6.6$ , Forward Flap at  $10^\circ$ c)  $\text{Re}_{\infty}/10^6 \text{ft} = 3.3$ , Aft Full Span Flap at  $10^\circ$ d)  $\text{Re}_{\infty}/10^6 \text{ft} = 6.6$ , Aft Full Span Flap at  $10^\circ$ 







b)

Fig. 7 Schlieren Flow Photographs,  $\alpha = 0$ a) Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 15° b) Re $_{\infty}/10^6$ ft = 6.6, Forward Flap at 15°










Schlieren Flow Photographs,  $\alpha$  = 0 Fig. 8

- a) Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 20° b) Re $_{\infty}/10^6$ ft = 6.6, Forward Flap at 20° c) Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 20° d) Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 20°



a) Re  $/10^6$ ft = 3.3, Forward Flap at 30° b) Re  $/10^6$ ft = 6.6, Forward Flap at 30° c) Re  $/10^6$ ft = 3.3, Aft Center Flap at 30° d) Re  $/10^6$ ft = 6.6, Aft Center Flap at 30° e) Re  $/10^6$ ft = 3.3, Aft Full Span Flap at 30° f) Re  $/10^6$ ft = 6.6, Aft Full Span Flap at 30°




Fig. 10 Schlieren Flow Photographs,  $\alpha = 0$ a) Re /10<sup>6</sup>ft = 1.1, Aft Full Span Flap at 45°
b) Re /10<sup>6</sup>ft = 1:1, Aft Full Span Flap at 45°
c) Re /10<sup>6</sup>ft = 3.3, Aft Full Span Flap at 45°
d) Re /10<sup>6</sup>ft = 6.6, Aft Full Span Flap at 45°
e) Re /10<sup>6</sup>ft = 6.6, Aft Full Span Flap at 45°

d)

e)





b)



c)

Fig. 11 Schlieren Flow Photographs,  $\alpha = 0$ a) Re $_{\infty}/10^6$ ft = 1.1, Forward Flap at 90°
b) Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 90°
c) Re $_{\infty}/10^6$ ft = 6.6, Forward Flap at 90°





b)

Fig. 12 Schlieren Flow Photographs,  $\alpha = +5$  a) Re $_{\infty}/10^6$ ft = 1.1 b) Re $_{\infty}/10^6$ ft = 3.3



Fig. 13 Schlieren Flow Photographs,  $\alpha$  = 15°  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at 15°






Fig. 14 Pressure Coefficient Data Plots;  $\alpha$  = -30°,  ${\rm Re}_{_{\infty}}/{10}^6{\rm ft}$  = 1.1, No Flap Deflections, End Plates Off




(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 14 Pressure Coefficient Data Plots;  $\alpha$  = -30°  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, No Flap Deflections, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 15 Pressure Coefficient Data Plots;  $\alpha=-30^\circ$   ${\rm Re}_\infty/10^6{\rm ft}=3.3$  , No Flap Deflections, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 15 Pressure Coefficient Data Plots;  $\alpha$  = -30°  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 3.3, No Flap Deflections, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 16 Pressure Coefficient Data Plots;  $\alpha$  = -30  $${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Flap Deflections, End Plates Off




Fig. 16 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, No Flap Deflections, End Plates Off




Fig. 17 Pressure Coefficient Data Plots;  $\alpha$  = -30 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 10°, End Plates Off





Fig. 17 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 10°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 18 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off





Fig. 18 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{_{\infty}}/10^6 {\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 19 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 19 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 20 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off

+(2.83) +(2.83) +(2.85) +(2.88) +(2.82)





Fig. 20 Pressure Coefficient Data Plots;  $\alpha$  = -30  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 21 Pressure Coefficient Data Plots;  $\alpha$  = -30  $${\rm Re}_{\infty}/10^6{\rm ft}=6.6,$  Aft Full Span Flap at 30°, End Plates Off





Fig. 21 Pressure Coefficient Data Plots;  $\alpha=-30$  Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 22 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, No Flap Deflections, End Plates Off




Fig. 22 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 1.1, No Flap Deflections, End Plates Off




Fig. 23 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  =  $\pmb{3.3}$  , No Flap Deflections, End Plates Off





Fig. 23 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = **3.3**, No Flap Deflections, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 24 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = **6.6**, No Flap Deflections, End Plates Off





Fig. 24 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\omega}/10^6 {\rm ft}$  = **6.6**, No Flap Deflections, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 25 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 10°, End Plates Off





Fig. 25 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 3.3, Aft Full Span Flap at  $10^{\circ}$  , End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 26 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flaps at 15°, End Plates Off





Fig. 26 Pressure Coefficient Data Plots;  $\alpha = -15$   ${\rm Re}_{\infty}/10^6{\rm ft} = 3.3$ , Forward Flaps at 15°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 27 Pressure Coefficient Data Plots;  $\alpha=$  -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off




Fig. 27 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{_{\infty}}/{10}^{6}{\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off




Fig. 28 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off




Fig. 28 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off




Fig. 29 Pressure Coefficient Data Plots;  $\alpha$  = -15  $Re_{\infty}/10^6 ft$  = 3.3, Aft Center Flap at 30°,

End Plates Off




Fig. 29 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Center Flap at 30°, End Plates Off






Fig. 30 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Center Flap at 30°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 30 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Center Flap at 30°, End Plates Off





(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 31 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off





Fig. 31 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off





(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 32 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off





Fig. 32 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 33 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 30°, End Plates Off






Fig. 33 Pressure Coefficient Data Plots;  $\alpha$  = -15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, Aft Full Span Flap at 30°, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 34 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, No Flap Deflections; End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 34 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, No Flap Deflections, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 35 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Flap Deflections, End Plates Off






Fig. 35 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Flap Deflections, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 36 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, No Flap Deflections, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 36 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, No Flap Deflections, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 37 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 10°, End Plates Off






Fig. 37 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 10°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 38 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 38 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 15°, End Plates Off






Fig. 39 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 39 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 40 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at 20°, End Plates Off





Fig. 40 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 20°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 41 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off





Fig. 41 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 42 Pressure Coefficient Data Plots;  $\alpha$  = -5  $${\rm Re}_{\infty}/10^6{\rm ft}=3.3$, Forward Flap at 30°, End Plates Off$ 




Fig. 42 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off




Fig. 43 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plate Off




Fig. 43 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°,

End Plate Off




Fig. 44 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off





Fig. 44 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 45 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 30°, End Plates Off




Fig. 45 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{_{\infty}}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 30°, End Plates Off




Fig. 46 Pressure Coefficient Data Plots;  $\alpha$  = -5 Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plates Off





Fig. 46 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 47 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 45°, End Plates Off





Fig. 47 Pressure Coefficient Data Plots;  $\alpha$  = -5  ${\rm Re}_{\infty}/10^6 {\rm ft} =$  6.6, Aft Full Span Flap at 45°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 48 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6 {\rm ft}$  = 1.1, No Flap Deflection, End Plates Off





Fig. 48 Pressure Coefficient Data Plots;  $\alpha$  = 0  $${\rm Re}_{_{\infty}}/10^{\,6}{\rm ft}$  = 1.1, No Flap Deflection, End Plates Off



Pressure Coefficient Data Plots;  $\alpha=0$  Re $_{\infty}/10^6 {\rm ft}=$  1.1, No Flap Deflection, End Plate On Fig. 49





Fig. 49 Pressure Coefficient Data Plots;  $\alpha$  = 0  $$\rm Re_{\infty}/10^6 ft$  = 1.1, No Flap Deflection, End Plate On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 50 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 3.3, No Flap Deflection, End Plate Off





Fig. 50 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, No Flap Deflection, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 51 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_\infty$ /10 ft = 3.3, No Flap Deflection, End Plate On




Fig. 51 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Flap Deflection, End Plate On




Fig. 52 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft} = 6.6, \; {\rm No \; Flap \; Deflection, \; End}$  Plate Off




Fig. 52 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, No Flap Deflection, End Plate Off




Fig. 53 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 6.6, No Flap Deflection, End Plate On





Fig. 53 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, No Flap Deflection, End Plate On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 54 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 1.1, Forward Flap at 10°, End Plate On




Fig. 54 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 10°, End Plate On




Fig. 55 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at 10°, End Plate Off




Fig. 55 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 3.3, Forward Flap at 10°, End Plate Off






Fig. 56 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 6.6, Forward Flaps at 10°, End Plate Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 56 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flaps at 10°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 57 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 1.1, Aft Full Span Flap at 10°, End Plate Off





Fig. 57 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 1.1, Aft Full Span Flap at 10°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 58 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 1.1, Aft Full Span Flap at 10°, End Plate On




Fig. 58 Pressure Coefficient Data Plots;  $\alpha$  = 0  $${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 10°, End Plate On






Fig. 59 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 10°, End Plate Off




(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 59 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re_{\infty}/10}^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 10°, End Plate Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 60 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 10°, End Plate On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 60 Pressure Coefficient Data Plots;  $\alpha$  = 0  $${\rm Re}_{_{\infty}}/10^{6}{\rm ft}$  = 3.3, Aft Full Span Flap at 10°, End Plate On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 61 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft} = 6.6, {\rm Aft~Full~Span~Flap~at~10^\circ,}$  End Plate Off





Fig. 61 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 10°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 62 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 6.6, Aft Full Span Flap at 10°, End Plate On




Fig. 62 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6 {\rm ft}$  = 6.6, Aft Full Span Flap at 10°, End Plate On






Fig. 63 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flaps at 15°, End Plate Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 63 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re  $_{\infty}/10^6$ ft = 3.3, Forward Flaps at 15°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 64 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off





Fig. 64 Pressure Coefficient Data Plots;  $\alpha$  = 0,  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 65 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 20°, End Plate Off





Fig. 65 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 20°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 66 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 6.6, Forward Flap at 20°, End Plate Off





Fig. 66 Pressure Coefficient Data Plots;  $\alpha = 0$  ${\rm Re}_{\infty}/10^6{\rm ft}=6.6$ , Forward Flap at 20°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 67 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 20°, End Plates Off






Fig. 67 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 1.1, Aft Full Span Flap at 20°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 68 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 20°, End Plates On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 68 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{_{\infty}}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 20°, End Plates On






Fig. 69 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 20°, End Plates Off




(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 69 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 20°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 70 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 3.3, Aft Full Span Flap at 20°, End Plates On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 70 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 20°, End Plates On




Fig. 71 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft} = 6.6 \text{, Aft Full Span Flap at 20°,}$  End Plates Off






Fig. 71 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 20°, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 72 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 20°, End Plates On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 72 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 20°, End Plates On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 73 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plate Off





Fig. 73 Pressure Coefficient Data Plots;  $\alpha$  = 0  $$\rm Re_{_\infty}/10^6 ft$  = 1.1, Forward Flap at 30°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 74 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plate Off





Fig. 74 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 3.3, Forward Flap at 30°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 75 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/{10}^6 {\rm ft}$  = 6.6, Forward Flap at 30°, End Plates Off





Fig. 75 Pressure Coefficient Data Plots;  $\alpha$  = 0  $${\rm Re}_{\infty}/10^6{\rm ft}=$  6.6, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 76 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\omega}/10^6{\rm ft}$  = 1.1, Aft Center Flap at 30°, End Plates Off




Fig. 76 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Center Flap at 30°, End Plates Off




Fig. 77 Pressure Coefficient Data Plots;  $\alpha=0$  Re $_{\infty}/10^6$ ft = 3.3, Aft Center Flap at 30°, End Plates Off





Fig. 77 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re  $_{\infty}/10^6$ ft = 3.3, Aft Center Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 78 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Center Flap at 30°, End Plates Off




Fig. 78 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Center Flap at 30°, End Plates Off




Fig. 79 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 79 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 80 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 1.1, Aft Full Span Flap at 30°, End Plate On




Fig. 80 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plate On




Fig. 81 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}^{}/10^{6}$ ft = 3.3, Aft Full Span Flap at 30°, End Plates Off





Fig. 81 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plate Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 82 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 3.3, Aft Full Span Flap at 30°, End Plate On




Fig. 82 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plate On




Fig. 83 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plate Off




Fig. 83 Pressure Coefficient Data Plots;  $\alpha$  = 0  $${\rm Re}_{\infty}/10^6{\rm ft}=6.6$, Aft Full Span Flap at 30°, End Plate Off$ 





Fig. 84 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft} = 6.6, {\rm Aft~Full~Span~Flap~at~30^\circ,}$  End Plate On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 84 Pressure Coefficient Data Plots;  $\alpha$  = 0  $$\rm Re_{\infty}/10^6 ft$  = 6.6, Aft Full Span Flap at 30° End Plate On




Fig. 85 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 45°, End Plate Off




Fig. 85 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 45°, End Plate Off




Fig. 86 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 45°, End Plate Off




Fig. 86 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 1.1, Aft Full Span Flap at 45°, End Plate Off




Fig. 87 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 1.1, Aft Full Span Flap at 45°, End Plate O**n** 




Fig. 87 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 45°, End Plate On






Fig. 88 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 45°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 88 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 45°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 89 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 45°, End Plates On






Fig. 89 Pressure Coefficient Data Plots;  $\alpha$  = 0  $$\rm Re_{\infty}/10^6 ft$  = 3.3, Aft Full Span Flap at 45°, End Plates On




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 90 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft} = 6.6, \ {\rm Aft\ Full\ Span\ Flap\ at\ }45^{\circ},$  End Plates Off




(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 90 Pressure Coefficient Data Plots;  $\alpha$  = 0  $Re_{\infty}/10^6 ft$  = 6.6, Aft Full Span Flap at 45°, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 91 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\omega}/10^6 {\rm ft} = 6.6, {\rm Aft~Full~Span~Flap~at~45^\circ,}$  End Plates On



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 91 Pressure Coefficient Data Plots;  $\alpha$  = 0 Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 45°, End Plates On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 92 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 90°, End Plates On





Fig. 92 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 90°, End Plates On



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 93 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 90°, End Plates Off





Fig. 93 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at90°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 94 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flap at 90°, End Plates Off





Fig. 94 Pressure Coefficient Data Plots;  $\alpha$  = 0  ${\rm Re}_{_{\infty}}/{10}^{6}{\rm ft}$  = 6.6, Forward Flap at 90°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 95 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{_\infty}/10^6 {\rm ft}$  = 1.1, No Flap Deflection, End Plates Off





Fig. 95 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, No Flap Deflection, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 96 Pressure Coefficient Data Plots;  $\alpha$  = +5  $$\rm Re_{\infty}/10^6 ft$  = 3.3, No Flap Deflection, End Plates Off





Fig. 96 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, No Flap Deflection, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 97 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{_\infty}/{10}^6{\rm ft}$  = 6.6, No Flap Deflection, End Plates Off






Fig. 97 Pressure Coefficient Data Plots;  $\alpha$  = +5 Re  $_{\infty}/10^6$ ft = 6.6, No Flap Deflection, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 98 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 98 Pressure Coefficient Data Plots;  $\alpha$  = +5 Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 99 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{_{\infty}}/10^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off





Fig. 99 Pressure Coefficient Data Plots;  $\alpha$  = +5  $${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 100 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off






Fig. 100 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty} {10}^6 {\rm ft} = 3 \text{-}3 \text{, Forward Flap at } 30^{\circ} \text{, End}$  Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 101 Pressure Coefficient Data Plots;  $\alpha = +5$  Re $_{\infty}/10^6$ ft = 6.6, Forward Flap at 30°, End Plates Off.



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 101 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 6.6, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 102 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off





Fig. 102 Pressure Coefficient Data Plots;  $\alpha=+5$   ${\rm Re}_{_{\infty}}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 103 Pressure Coefficient Data Plots;  $\alpha$  = +5  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off






Fig. 103 Pressure Coefficient Data Plots;  $\alpha=+5$  Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 30°,

End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 104 Pressure Coefficient Data Plots;  $\alpha=+5$  Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 104 Pressure Coefficient Data Plots;  $\alpha = +5$  Re $_{\infty}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 105 Pressure Coefficient Data Plots;  $\alpha$  = +15  $\rm Re_{_\infty}/10^6 ft$  = 1.1, No Deflection Flaps, End Plates Off






Fig. 105 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, No Deflection Flaps, End Plates Off




(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 106 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Deflection Flaps, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 106 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, No Deflection Flaps, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 107 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, No Deflection Flaps, End Plates Off





Fig. 107 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, No Deflection Flaps, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 108 Pressure Coefficient Data Plots;  $\alpha$  = +15 Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 15°, End Plates Off





Fig. 108 Pressure Coefficient Data Plots;  $\alpha$  = +15 Re $_{\infty}/10^6$ ft = 3.3, Forward Flap at 15°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 109 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off





Fig. 109 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 1.1, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 110 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off




Fig. 110 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 3.3, Forward Flap at 30°, End Plates Off






Fig. 111 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL SEMISPAN DISTANCE)

Fig. 111 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/{10}^6{\rm ft}$  = 6.6, Forward Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 112 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 112 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 1.1, Aft Full Span Flap at 30°, End Plates Off




Fig. 113 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6 {\rm ft}$  = 3.3, Aft Full Span Flap at 30°, End Plates Off





Fig. 113 Pressure Coefficient Data Plots;  $\alpha$  = +15 Re $_{\infty}/10^6$ ft = 3.3, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 114 Pressure Coefficient Data Plots;  $\alpha$  = +15 Re $_\infty^{}/10^6$ ft = 6.6, Aft Full Span Flap at 30°, End Plates Off





Fig. 114 Pressure Coefficient Data Plots;  $\alpha$  = +15  $$\rm Re_{_\infty}/10^6 ft$  = 6.6, Aft Full Span Flap at 30°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 115 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 45°, End Plates Off





Fig. 115 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 3.3, Aft Full Span Flap at 45°, End Plates Off



(NONDIMENSIONAL STREAMWISE DISTANCE)

Fig. 116 Pressure Coefficient Data Plots;  $\alpha$  = +15  ${\rm Re}_{\infty}/10^6{\rm ft}$  = 6.6, Aft Full Span Flap at 45°, End Plates Off




Fig. 116 Pressure Coefficient Data Plots;  $\alpha=+15$   $Re_{\infty}/10^6 ft=6.6\text{, Aft Full Span Flap at }45^\circ\text{,}$  End Plates Off